



**Synergy Waste Management (P) Ltd.**

info@synergyworld.co.in, www.synergyworld.co.in

Tel. : 011- 27933371, 27933381, 49222982

CIN No. : U74999DL2005PTC283340

Ref: SWMPL/18-19/1004

July 2, 2018

**The Member Secretary**  
Haryana State Pollution Control Board,  
C-11, Near HSIDC, Sec-6,  
Panchkula, (Haryana).

Sub: Submission of online Annual Report for the period of 01st January, 2017 to 31st December, 2017.

Dear Sir,

We hereby enclose the copy of online submitted annual report for the period of 01<sup>st</sup> January, 2017 to 31<sup>st</sup> December, 2017.

This is for your information & further necessary action please.


Thanking you,

Yours faithfully,  
For Synergy Waste Management (P) Ltd.

  
Sanjay Kaushik  
Chief Executive Officer

Encl.: As above

C.C.: The Regional Officer,  
Haryana State Pollution Control Board,  
Bays No. B-7 & 8,  
Urban State – 2,  
Hisar – 125005 (Haryana).





**Haryana State Pollution Control Board**  
Bays B-7-8, Near Vishwas Sr. Sec. School, UE-II, Hisar Ph. 01662-250891(O)



**BMW Annual Report Details**

*Application Id: 5489301*

<b>Particulars of the Occupier</b>	
Annual report submit for year:	2018
Name of the authorized person:	Neeraj Aggarwal
Name of HCF or CBMWTF:	Synergy Waste Management Pvt. Ltd.,
Address for Correspondence:	Plot No.168 Sector-27 & 28 HUDA Industrial Area, Hisar
Address of Facility:	Plot No.168 Sector 27-28, HUDA Industrial Area, Hisar
Tel. No.:	9212310082
Fax. No.:	01662 - 210089
E-mail ID:	info@synergyworld.co.in
URL of Website:	www.synergyworld.co.in
GPS coordinates of HCF of CBMWTF:	29.067'N 75.841'E
Ownership of HCF or CBMWTF:	Private
<b>Status of Authorization under the BMW (Management and Handling) Rules:</b>	
Authorization No.:	BMW18HIS4934444 dated 17/02/2018
Valid Upto:	31/03/2020
<b>Status of Consents under Water Act and Air Act.:</b>	
Valid Upto:	31/03/2020

<b>Health Care Facilities Details</b>	
HCF/CBMWTF Type:	CBMWTF
Number healthcare facilities covered by CBMWTF:	379
No. of beds covered by CBMWTF:	4799
Installed treatment and disposal capacity of CBMWTF:	9900
Quantity of BMW treated or disposal by CBMWTF:	1440

<b>Quantity of Waste Generated</b>	
<b>Quantity of waste generated or disposed in Kg per annum (on monthly average basis)</b>	
Yellow Category:	956
Red Category:	255
White Category:	16
Blue Category:	203
General Solid Waste:	8.00



Storage, Treatment, Transportation, Processing and Disposal Facility Details	
Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	35995
No of vehicles used for collection and transportation of BMW:	5
Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	Synergy Waste Management Pvt. Ltd.
Details of the on-site storage facility:	
Size:	16'x12.5'x9.5'
Capacity:	16'x12.5'x9.5'
Provision of on-site storage:	Tilled wall room & flooring with ventilation

Disposal Facility			
Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)
List is Empty			

Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum		
Type of waste	Quantity Generated	Where disposal
List is Empty		

BMW Management Committee	
Do you have BMW management committee:	no

Training Conducted on BMW Details	
Number of training conducted on BMW Management:	20
Number of personnel trained:	200
Number of personnel trained at the time of induction:	15
Number of personnel not undergone any training so far:	15
Whether standard manual for training is available:	yes
Any other information:	

Details of the accident occurred	
No. of accident occurred:	0
Number of the persons affected:	0
Remedial Action taken:	0
Any Fatality occurred, details:	0

Other Details	
Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	Yes



<b>Details of Continuous online emission monitoring systems installed:</b>	Installed
<b>Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:</b>	ETP we have always met with standards
<b>It the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:</b>	ETP we have always met with standards
<b>Any other relevant information:</b>	Venturi Scrubber With Droplet Seperator

