

HARYANA STATE POLLUTION CONTROL BOARD

Bays B-7-8, Near Vishwas Sr. Sec. School, UE-II, Hisar Ph. 01662-250891(O)



No. HSPCB/BMW/2018-2019
Authorization No. BMW18HIS4934444

Dated 17/02/2018
Application No.
4934444

Date of Submission 03/01/2018

Sub: Renewal of Authorization under Bio Medical Waste Management Rules, 2016.

1. M/s : Synergy Waste Management Pvt. Ltd., an occupier or operator of the facility located at Plot No.168 Sector 27-28, HUDA Industrial Area, Hisar, is hereby granted an authorisation for; Generation, segregation, Collection, Storage, Reception, Transportation, Treatment or processing or conversion, Recycling, Disposal or destruction use

2. M/s : Synergy Waste Management Pvt. Ltd., is hereby authorized for handling of Biomedical Waste as per the capacity given below;

- (i) Number of beds of HCF:
- (ii) Number healthcare facilities covered by CBMWTF: NA
- (iii) Installed treatment and disposal capacity: Kg/Day
- (iv) Area or distance covered by CBMWTF: YES
- (v) Quantity of Biomedical waste handled, treated or disposed:

Category	Type of Waste	Quantity Generated or collected in Kg/day
Yellow	a) Human Anatomical Waste	1028.35
	b) Animal Anatomical Waste	0
	c) Soiled Waste	0
	d) Expired or Discarded Medicines	0
	e) Chemical Solid Waste	0
	f) Chemical Liquid Waste	0
	g) Discarded linen, mattresses, beddings contaminated with blood or body fluid	20
	h) Microbiology, Biotechnology and other clinical laboratory waste	0
Red	Contaminated waste (Recyclable)	245.80
White (Translucent)	Waste sharps including Metals	74.50
Blue	Glassware	295.7
	Metallic Body Implants	

3. This authorisation shall be in force for a period of 01/04/2018 To 31/03/2020 Year from the date of issue.

4. This authorisation is subject to the condition stated below and to such other condition as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

TERMS & CONDITIONS OF AUTHORISATION:-

1. The applicants shall comply with the provisions of Bio-Medical Waste Management Rules 2016 notified vide No.S.O. 630(E) dated 20th July,2016
2. Bio-Medical Waste shall be treated & disposed off in Compliance with the standards prescribed in Schedule I.
3. Every occupier where required shall setup in accordance with the time schedule-IV, requisite treatment Bio-Medical Waste treatment facilities like incinerator,autoclave,microwave system for the treatment of the waste at a common waste treatment facility or any other waste treatment facility.
4. Bio-Medical Waste shall not be mixed with any other waste.
5. Bio-Medical Waste shall be segregated into containers/bags at appoint of generation with Shedule-II prior to its storage, transportation,treatment & disposal.The containers shall be labeled according to Schedule-II
6. If a container is transported from the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises, the container shall apart from the label prescribed in schedule III, also carry information according to Schedule IV.
7. Notwithstanding anything contains in Motors Vehicle Act, 1995 or rules there under, untreated the Bio-medical Waste shall be transported only in such vehicle as may be authorised for the purpose by the competent authority as specified by the Govt.
8. No untreated Bio-Medical Waste Shall be kept stored beyond a period of 48 hours.
9. Every authorised person shall maintain records related to the generation, collection, reception, storage, transportation, treatment disposal of Bio-Medical Waste in accordance with those rules & any guideline issued.
10. All records shall be subject to inspection & verifications by the prescribed authority at any time.
11. Suitably designed pollution control devices should be installed/retrofitted with the incinerator to acheive the above emission limits, if necessary.
12. Waste to be incinarated shall not be chemically treated with any chlorinated disinfectants.
13. Chlorinated plastics shall not be incinarated.Toxic metals in incinaration ash shall be limited with the regulatory quantities as defined under the Hazardous Waste Management Rules, 2016.
14. Only low sulphur fuel like L.D.O/L.S.H.S/Deisel shall be used as fuel in the incinarator.
15. Occupier will comply all direction for generation, collection, reception, storage, transportation, treatment, disposal as per Bio-Medical Waste Management Rules 2016 & will ensure that there is no adverse effect to human & Environment.
16. The occupier will segregate the Bio-Medical Waste at the point of generation in accordance with the special-II of Bio-Medical Waste Management Rules, 2016.
17. The authorization would be subject/having proper disposal system for Bio-Medical Waste.
18. The unit shall maintained a log Book for suggestion/collection of Bio-Medical Waste at the source (i.e.wards) and also for each category of waste i.e.incienaration, autoclaving or landfill etc.
19. The yellow Bags should be non chlorinated bags.

20. The every occupier will also submit the copy of agreement every year before 30th April from any authorised services provider.

Specific Conditions

General Deficiencies

1. Unit will submit annual return regularly before 30th June every year.2. Unit will submit fresh agreement with service provider on yearly basis.3. Unit will store Bio medical waste as per the BMW rules 2016 in separate coloured bins properly segregated and comply the BMW Rules 2016.

Bhupender
Singh

Digitally signed by Bhupender
Singh
Date: 2018.02.17 10:44:18 +05'30'

Regional Officer Panchkula
Haryana State Pollution
Control Board.

HARYANA STATE

